Collection no. 185

GLAMIS

K. H. L. Key

DUPLICATE

Coastal Queensland

CARBON BOOK

8.x. — 16.xi.1973

(Octavo Size)

100 Leaves in Duplicate

NUMBERED

Flexiflat

THERMO–PLASTIC BOUND

Collection no. 185 Coastal Queensland

K. H. L. Key

8.x – 16.xi.1973

01

Plant identifications by R. Pullen et al.

8/10

54938.0. Raymond Terrace.

947.4. Gentle slope with brown, somewhat stony soil. E. maculata x Pseudowrangelia, Apostrophes tricarinata a stringybark to 80ft. with microphyllous shrubs frequent to 3ft, esp. legumes, acaulescent Xanthorrhoea to 2ft, mixed wiry grasses & occ. Themeda australis to 18in.

954.7. Karuah.

11/10.

55499.0. Caloundra.

510.8. Landsborough.

518.6. Turned left for Mary Cairncross Park.

519.5. Mary Cairncross Park. Rainforest on red basaltic soil. Tetrigids (Tetrix sp.) on sunny patches near decaying logs.

522.5. (After "scenic tour"). turned right.

524.5. Maleny.

527.0. Turned left.

533.5. Montville.

535.1. Turned left.

535.6. Kondalilla Nat. Park. Wet sclerophyll forest & rainforest in ravine with waterfall. Return.
Coptotettix quinquecarinatus; ~~Paratettix spathulatus~~

538.0. Montville.

538.1. Turned left on Nambour road.

544.1. Palmwoods.

552.9. Buderim (not P.O). Turned left.

554.2 = 555.0. Foote Sanctuary.

559.1. Mooloolaba (short distance wasted)

569.6. Kings Beach, Caloundra.

12/10.

571.3. Caloundra depart.

578.6. Flat with pale grey sand. Low heath to 2ft. Melaleuca sp., Banksia sp., Genus nov. 9 sp. 1, Goniaea opomaloides, Parapettix spathulatus, morabine sp. P101, Psednura mosgraveii, Boronia sp., Ervatamon sp. acaulescent Xanthorrhoea, legumes. Goodeniaceae, sedges, Xyris etc. In part lemont. Abundant Haemadorum. Haemadorum tenuifolium A. Cunn. ex Benth.

581.2. Mooloolaba.
Morabine sp. P101, Psednura mosgraveii.

595.4. Flat with white sand. Heath to 18in; Banksia sp., acaulescent Xanthorrhoea, Cirphula pyrrhocnemis, Genus nov. 9 sp. 1, Goniaea opomaloides.

sedges. etc.

598.5. Cooburn.

609.5. Noosa Heads.

610.4. Noosa National Park. Eucalypts, consolidatus
Genus nov. 17 sp. 1
Callitris sp. & Acacia sp. to 30ft on sand hill. Sparse grasses, forbs. & creepers.

Return.

651.6. Gympie.

652.6. Gympie depart.

672.4 Turned off to left.

673.3. Kanighan Microwave Repeater Sta.
Parabettlx histricus
E. tenticornis to 40ft, with Imperata & other grasses to 2ft on flat summit of ridge with brown soil.

674.1 = 672.4.

687.3. Bauple.

709.3. Maryborough.

13/10.

713.5. Maryborough depart.

748.4. Turn-off to left to Wooloogo

764.9. Biggenden.

783.0. Gently undulating. Pale granitic

Perbellia brevipelata (?), Spatha sp., Odasima sp. 4
gravelly soil. E. crebra & other eucs to
60ft, Acacia sp. to 20ft. & occ. other
small trees. Wiry grasses to 2ft,
Helichrysum sp. (sim. to apiculatum) to
9in.

793.4. Childers. Took Maryborough road.

794.3. Turned left.

805.3. Bundaberg turn-off on left.

807.1. Goodwood. Return.

808.3. ~~Sma~~ Pale grey sand on gentle
Macrotona sp. 21, Melaleucas spp. P35b (?), P82, P57,
undulations. Smooth & rough-barked
Pseudomyrtus murgrauei
eucs to 50ft, Melaleuca spp. to 30ft.
Grevillea banksii R. Br.
Casuarina sp. to 20ft, Grevillea sp. (spec.)
Melaleuca ? acuillaris Sm.
to 15ft, a "broombush" to 15ft + regrowth
occ. Xanthorrhoea sp. (acaul.),
phyllodineous Acacia sp. to 10ft, other
small shrubs, incl. a prickly Acacia,
wiry + other grasses, incl. some Themeda
dorsa to 18in. P82 on broombush. Occ.
Haemadorum. Haemadorum australiensis
Domin ~~Domin~~
830.7. Bundaberg.

44/10.

885.0. South Kolan depart.

900.0. Gin Gin.

961.1. Mirani Vale.

969.2. Bororen.

986.9. Turned right

992.5 Tamrowa Sands.

993.8. Tamrow Sands depart.

994.4. Undulating stony with pale brown soil. E. Cretra, E. pentacornus, Tamiosa vocaro, Laxoplilla sycarogdina, Perbellia brevialata to 70ft with Casuarina sp. & Acacia spp. to 20ft, Xanthorrhoea to 3ft, occ. Other shrubs & regrowth to 6ft, wiry grasses, occ. forbs.

999.6. Turned right into Bruce Highway.

56003.2. Took coast road on right.

016.4. Gladstone.

029.1. Joined Bruce Highway.

050.3. Port Larcom.

062.3 Raglan

065.5. Flat with pale brown soil. E. populifolia to 40ft occ. with Atalaya hemiglauca to 6ft & ?Grevillea to 6ft, dense mixed grasses to 3ft, occ. Myoporum sp to 1ft. Heberpt.

096.4. Rockhampton.

15/10.

S6 130.0 Emu Park.

131.2. Emu Park depart.

136.6. The Causeway.

137.3. Mulambin.

137.9. Steep slope of rocky headland. Themeda grassland to 1ft on south slope, Anatracinspodima with eucs. to 20 ft above & miscellaneous weeds & vines.

141.2. Turned right.

141.8. Wreck Point.

144.2. Yeppoon. Took Rockhampton rd.

144.8. Turned left.

153.1. Turned ~~left~~ right into Emu Park – Rockhampton road. Margin of mangrove swamp, with samphire & Zoisia to 6in, leading to eucs & paper-bark regrowth to 8ft with Themeda & other grasses to 3ft. Trogattina australis (?), Calidia ~~papuana~~ captiva, Gonacordea sp 4

153.3 Rise with pale soil. Clared & regrowth from euc. sp. to 60ft, Melaleuca Gonacea carnata, ~~Dodonaea viscosa~~ Acacia mimarguinosa, Lenus sp. 1, Pycnostachys serratus, morebine sp. P57, Nov. 17 sp. .., Casuarina sp., red-flowered Grevillea sp. Macrotona sp. 21

to 15ft, Acacia sp. Xanthorrhoea occ., Themeda & other grasses sparse to 3ft.

155.1. Turned right

159.9. Cawarral.

164.1. Turned right.

176.7. Yppoon.

16/10.

56257.0. Marlborough ½ mile to right.

261.9. Hilly with pale brown sandy loam, in part stony. Perdillia brevialata, Calodia E. Crebra to 60ft with Acacia captiva, Macrozelota sp. 2 sp. to 50ft & regrowth, Casuarina luehmanii to 20ft, other small trees & shrubs. mixed grasses, mainly wiry, to 2ft.

301.9. Flat with grey-brown to brown soil. Lonicacordea sp. 4, Macrolpholia sp., E. populifolia to 30ft, occ. Acacia Austraeris, Broxima, Heteropterus obscurella, Harpophylla regrowth, a flowering Macrotona ~~[illegible]~~ Cassia tomentella (Benth.) Domin rough-barked tree to 20ft (spec.). Eremophila mitchellii ~~Acoporium~~ (?) ~~sp. sp.~~ to 10ft & regrowth. dense mixed grasses to 2ft.

322.9 Road off to right to St. Lawrence.

323.1. Medium-dense swarm of Locusta Locusta migratoria milling around & settled at ca. 5-10/m²

flying up to ca. 100 ft. mainly north-east, into a slight ~~[illegible]~~ easterly breeze. Settled individuals mainly in cap. Country here is gently undulating rug-barked from E. crebra to 30 ft. Swarm extended only ca. 200 yds across.

324.7. Another Locusta swarm, somewhat denser, 100 yds across.

330.6. Lotus Creek.

406.0. Sarina.

17/10.

564444.7. Mackay depart.

519.3. Halliday Beach (many miles wasted. Return.

527.3. Cape Hillsborough beach. Return.

528.3. Gentle slope bordering mangroves. Stenocatantops angustifrons, more than of P60C. Pale brown stony soil. E. alba & allies trees to 40 ft, Melaleuca sp. to 25 ft. 2 spp. phyllodineous acacias (more than one), Xanthorrhoea sp. frequent. mixed grasses 1–3 ft.

18/10.

56669.0 Mackay depart.

600.0. Gargett.

607.7. Finch Hatton.

618.7. Dalrymple Heights

621.7. Pease's Look-out. Return.

622.3. Dalrymple Heights.

624.6. Entered rainforest. Mixed trees, incl. Coptotettix sp. hoop pine & kauri, tree-ferns & palms. Dry.

624.9. Dalrymple Heights.

628.5. Broken River. Return.

632.0. Dalrymple Heights.

19/10.

637.1 = 624.6 Coptotettix sp.

638.5. Dalrymple Heights depart.

665.0. Turned left.

691.9. Calen. Turned left into Bowen Highway.

714.6. Gentle slope with pale brown soil. Scattered trees to 50ft. with Stenocatantops vitripennis, Hypochlita testacea, Melaleuca sp. Macrotona sp. 21 down to 25ft. Mixed grasses to 3ft & grey to 10in. Caledia,

Harbour

Acacia simsii Benth. Acacia decora Reichb.

Acacia spp

Poussaia sp. & other shrubs

Acacia spp.

Acacia sp.

Eremophila maculata (Rec.) F. Muell.

[illegible]

[illegible]

[illegible] Turned left

[illegible] [illegible] 36 sp. [illegible]
[illegible] [illegible] 25 ft [illegible]
[illegible] 5 to 8 ft. Grevillea sp. (?)
to left, mostly low. Turned to [illegible]
[illegible] to 12 in. Eucalyptus [illegible]
[illegible] leucoxylon

[illegible] Stand 2.

[illegible] Rolling [illegible]

[illegible] Turned left

[illegible] [illegible] with [illegible]
[illegible] (?). Stand [illegible] [illegible]
long [illegible] [illegible] brown [illegible]
[illegible] E. albens; E. terraillaris; a [illegible]
[illegible] [illegible] to 50 ft, Acacia sp. [illegible]
[illegible] to 5 ft, are [illegible]
[illegible] [illegible] [illegible] to
[illegible]

[illegible] [illegible]

[illegible] E. [illegible] [illegible]

Acacia sp. f. leptocarpa Benth.

[illegible]

[illegible]

[illegible]

Stachytapheta indica (L.) Vahl

[illegible]

[illegible]

[illegible]

[illegible]

[illegible] to intersection. Return on M.G.

[illegible] Euc. [illegible] roughly marked to 3 ft [illegible] nov. 108 sp. 1, Stu. spec. 17 sp. 1, [illegible]

Clepsydria hitrio, Macrozelota sp. 3, Tolulum [illegible] 2 sp. of Chambers, Papilionaceae [illegible]

[illegible] the previous [illegible] to left [illegible] to left. [illegible] [illegible] Tilly [illegible] [illegible] small [illegible] pale grey [illegible] [illegible]

[illegible] Tilly Tellsvond [illegible] nov. 17 sp. 1, moraba, [illegible] salt. [illegible]

H. gopherii sp. [illegible] to left with [illegible] [illegible] to left [illegible]

222. a. Millbrookiana Tellis. Barrow [illegible]

Clepsydria hitrio, Spellia sp. [illegible] A. [illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible] to 40 ft

[illegible] 204

[illegible] 10 ft [illegible]

Petalostigma pubiceans Domin

[illegible]

[illegible] occ. Casuarina sp. regrowth

[illegible] Acacia [illegible] open.

[illegible] 20 cm. Hakea sp.; Acacia sp. & Dodonaea

([illegible] 8).

[illegible]. Blackbeetson.

[illegible]

[illegible]

[illegible]. Tilga [illegible].

[illegible]. Tumaroo Dam.

638.3. Dam depart.

[illegible]0. Scenic lookout.

[illegible]

[illegible]

[illegible]

[illegible]

Crowe's report.

Gordonvale.

Fishery Falls P.O. (Miles work)

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

slopes, including E. resiliens, E. albida, E. papuana, + a bloodwood to 60 ft. Many areas with only small non-euc. lyft trees + shrubs, incl. Acacia spp., to 20ft, Araucaria cunninghamii to 50ft, unthrifty, in patches. Smaller shrubs, incl. a hairy, glaucous legume to 2ft. Triodia sp. dominant in herbaceous layer in mangroves, other grasses mainly on flatter areas. Xanthorrhoea sp. occ. Dentaria + Perthellia frequent on rocks.

10/11.
4.34.8 Clipsydria histrio
Shute Harbour. = 56781.2

11/11.

498.5. Prosopeina off to right.

542.0. Calen.

555.6. Kuttabul.
Morabine - p. 166, Gemsbok. 17 sp. f.

556.6. Sharp hill slope of sedimentary rock with bloodwood + E. alba to 60ft. Acacia spp (2) to 20ft, Melaleuca spp (2), occ. Casuarina sp. to 15ft,
Laxabilla smaragdina, Pepnostichus sexiatus, Clipsydria histrio, Macrotona sp. 21, Goniaea vocans, Goniacoidea sp. 4

Tristania sp. to 20ft. Xanthorrhoea sp to 5ft, occ. cycads (Cycas?) to 4ft, mixed grasses & regrowth. Acacia sp. cf. dimidiata Benth. Noralbine on Acacia sp. (spec.). Pandanus sp. (?)

557.6 Kuttabul.

572.5 Mackay.

12/11.

605.8 Sarina.

755.1 Marlborough off to left.

755.6 Shell Service station. Return

756.4 Marlborough. Return on Mackay

760.1 Flat with black self-mulching soil. Melaleuca bracteata F. Muell. Melaleuca sp. (spec.) with rough bark & fine leaves to 45ft & abundant regrowth of this & Casuarina sp. Coarse grasses to 5ft. All wasits found (incl. noralbine nymphs (P63?) on Melaleuca regrowth Return.

763.6 Marlborough off to left.

812.9 Turned left.

[illegible] Tea Cases.

81.5 Cannons Creek. Returns.

81.6 Olsens Bridge. Return.

81.7 Slope with Grass, occ. E. crebra, Gonocarpus carnata E. melanophloia occ. E. tereticornis to 50ft, with Acacia sp. to 15ft & regrowth. Lantana & various shrubs to 6ft, grasses sparse to 4ft. Mistletoe on Acacia saplings at ca. 7ft.

83.9 Back on Bruce Highway.

15/11.

58/45.1 Miriam Vale.

967.9 Turned left.

977.2 Lowmead. Turned right.

991.6 Rosedale.

15/11 (59431.6 Mordine sp. 446) Gentle undulations, with Hale known stony soil. Acacia-gum (C. blakelyi or tereticornis) & E. crebra to 50ft, Callitris hugelii & Casuarina luehmannii to 30ft, Cassinia sp. to 3ft, occ. Eremophila mitchellii to 3ft, wiry grasses to 18in, Helichrysum sp. & dry ferns to 9in.

regrowth. Fraggattia. (On Leyburn – Inglewood road).

444.7. Karara.

480.7 Inglewood.

16/11.

59748.1. Poplars Motel, Cunnabarabran (turn-off to Baradine). Returned on Oxley ~~Highway~~ Highway.

751.0. Turned left into Newell Highway.

755.0. Return

Phyllacridium ultatum, Conidia Cornuta, Tenuis nov. Bochracea, Conicaquestrala sacra, Nuda sulfulva, Mustracrisproxima, Corphistes nuncola, Hypnopis Incarnata

755.7. See earlier trip (Trip 168 stop 26042.7).

759.0. Turned right into Oxley Highway.

Asplula pyrrhocnemis, mosabine sp. P97